10/03/2009

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application: Claim underlining shows the changes from the originally issued patent.

Cancel Claims 1-26.

1-26. (Cancelled) 1

	Add C	laim 27 as follows:
1	27.	A method of parallelizing an operation, the method comprising the steps of:
2		dividing the operation into a set of work partitions;
3		assigning work partitions from said set of work partitions to a plurality of entities,
4		wherein at least one entity of said plurality of entities is assigned a plurality of
5		work partitions from said set of work partitions;
6		wherein the step of assigning work partitions is performed by assigning the work
7		partitions in a sequence based at least in part on sizes associated with the work
8		partitions, with relatively larger work partitions assigned before relatively smaller
9		work partitions;
10		said plurality of entities operating in parallel on work partitions assigned to said plurality
11		of entities to perform said operation; and
12		wherein assigning the work partitions in a sequence includes assigning a first previously
13		unassigned work partition to a particular entity of the plurality of entities, and
14		when the particular entity completes processing the first work partition, picking a
15		second previously unassigned work partition based at least in part to the size of
16		the second work partition, and assigning the second unassigned work partition to
17		the particular entity for processing,
18		wherein the method is performed by one or more computing devices.

Cancel Claim 28.

28. (Canceled) 1

Add Claims 29-52 as follows:

1	29.	A method of parallelizing an operation, the method comprising the steps of:
2		dividing the operation into a set of work partitions;
3		assigning work partitions from said set of work partitions to a plurality of entities,
4		wherein at least one entity of said plurality of entities is assigned a plurality of
5		work partitions from said set of work partitions, wherein the step of assigning
6		work partitions includes:
7		assigning said at least one entity a first work partition from said set of work
8		partitions; and
9		after said at least one entity has completed operation on said first work partition,
10		assigning said at least one entity a second work partition from said set of work
11		partitions, wherein the step of assigning said at least one entity a second work
12		partition includes
13		determining whether there are any unassigned work partitions from a first level in
14		a hierarchy to which said first work partition belonged; and
15		if there are no unassigned work partitions from the first level in the
16		hierarchy, then selecting said second work partition from a level in
17		said hierarchy that is two levels above said first level in said
18		hierarchy;
19		said plurality of entities operating in parallel on work partitions assigned to said plurality
20		of entities to perform said operation; and
21		wherein the operation is specified in a query that corresponds to the hierarchy of
22		operations,
23		wherein the method is performed by one or more computing devices.
1	30.	A method of parallelizing an operation, the method comprising the steps of:
2		dividing the operation into a set of work partitions;

3		assigning work partitions from said set of work partitions to a plurality of entities,
4		wherein at least one entity of said plurality of entities is assigned a plurality of
5		work partitions from said set of work partitions;
6		said plurality of entities operating in parallel on work partitions assigned to said plurality
7		of entities to perform said operation;
8		the method includes the step of generating a serial execution plan for operations in a
9		database management system (DBMS) running on a computer system;
10		the method includes the step of generating a parallelized execution plan for said serial
11		execution plan, said parallelized execution plan including first and second
12		operations;
13		the step of dividing an operation is performed by dividing said second operation;
14		the plurality of entities includes one or more slave processes operating on a plurality of
15		data partitions, the quantity of said data partitions being greater than the quantity
16		of said slave processes;
17		executing said parallelized execution plan when a plurality of parallel resources of said
18		computer system are available; and
19		executing said serial execution plan when said plurality of resources are not available,
20		wherein the method is performed by one or more computing devices.
1	31.	The method of claim 30 wherein said step of generating a parallelized execution plan
2		includes the steps of:
3		identifying one or more segments of said serial execution plan that can be parallelized;
4		<u>and</u>
5		identifying partitioning requirements of said one or more segments.
1	32.	The method of claim 30 wherein said step of generating a parallelized execution plan is
2		based on a specification of parallelism in a statement specifying one of said operations.
1	33.	A method of parallelizing an operation, the method comprising the steps of:
2		dividing the operation into a set of work partitions;

3		assigning work partitions from said set of work partitions to a plurality of entities,
4		wherein at least one entity of said plurality of entities is assigned a plurality of
5		work partitions from said set of work partitions;
6		said plurality of entities operating in parallel on work partitions assigned to said plurality
7		of entities to perform said operation;
8		generating an execution plan for said operation;
9		examining said execution plan from bottom up;
10		identifying a parallelized portion of said execution plan, said parallelized portion can be
11		processed in parallel, said parallelized portion including first and second
12		operations, said first and second operations being executable in parallel;
13		wherein the step of dividing the operation is performed by dividing said second operation;
14		wherein the plurality of entities includes one or more slave processes operating on a
15		plurality of data partitions, the quantity of said data partitions being greater than
16		the quantity of said slave processes;
17		identifying some serial portion of said execution plan, said serial portion can be processed
18		in serial; and
19		allocating a central scheduler between said parallelized portion and said serial portion,
20		wherein the method is performed by one or more computing devices.
1	34.	The method of Claim 33 further including the steps of:
2		identifying a first data flow requirement for a first portion of said execution plan said first
3		data flow requirement corresponding to a partitioning of a data flow required by
4		said first portion;
5		identifying a second data flow requirement for a second portion of said execution plan
6		said second data flow requirement corresponding by said second portion; and
7		allocating a data flow director between said first portion and said second portion when
8		said first data flow requirement is not compatible with said second data flow
9		requirement said data flow director repartitioning a data flow of said first portion
10		to be compatible with said second data flow requirement.

1	35.	A method for parallelizing an operation, the method comprising the steps of:
2		dividing the operation into a set of work partitions;
3		assigning work partitions from said set of work partitions to a plurality of entities,
4		wherein at least one entity of said plurality of entities is assigned a plurality of
5		work partitions from said set of work partitions;
6		said plurality of entities operating in parallel on work partitions assigned to said plurality
7		of entities to perform said operation;
8		generating an execution plan to execute database management system (DBMS) operations
9		in parallel, said execution plan including first and second operations;
10		wherein the step of dividing said operation is performed by dividing said second
11		operation;
12		initiating an operation coordinator in a computer system to coordinate execution of said
13		execution plan;
14		initiating, by said operation coordinator, a first set of slaves operating on a plurality of
15		data partitions to produce data, the quantity of said data partitions being greater
16		than the quantity of said first set of slave processes;
17		initiating, as said plurality of entities, by said operation coordinator, a second set of slaves
18		to consume data; and
19		directing said second set of slaves to produce data and said first set of slaves to consume
20		data when said first set of slaves finishes producing data,
21		wherein the method is performed by one or more computing devices.
1	36.	The method of claim 35 wherein said execution plan is comprised of operator nodes and
2		said operator nodes are linked together to form execution sets.
1	37.	A method for parallelizing an operation, the method comprising the steps of:
2		dividing the operation into a set of work partitions;
3		assigning work partitions from said set of work partitions to a plurality of entities,
4		wherein at least one entity of said plurality of entities is assigned a plurality of
5		work partitions from said set of work partitions;

6		said plurality of entities operating in parallel on work partitions assigned to said plurality
7		of entities to perform said operation;
8		generating an execution plan to execute said operations in parallel, said execution plan
9		including first and second operations;
10		wherein the step of dividing said operation includes dividing said first operation;
11		initiating producer slaves operating on a plurality of data partitions to produce a first data
12		production;
13		initiating consumer slaves to consume said first data production;
14		when said first data production is completed, generating an identification of a plurality of
15		said consumer slaves that did not receive data in said first data production;
16		examining said identification during a subsequent data production; and
17		reducing said subsequent data production such that said subsequent data production does
18		not produce data for said plurality of said consumer slaves,
19		wherein the method is performed by one or more computing devices.
1	38.	A method for processing a statement in a database system, the method comprising the
1 2	38.	A method for processing a statement in a database system, the method comprising the steps of:
	38.	
2	38.	steps of:
2 3	38.	steps of: receiving, at a database server, a statement that specifies at least a database operation that
2 3 4	38.	steps of: receiving, at a database server, a statement that specifies at least a database operation that operates on data within a database;
2 3 4 5	38.	steps of: receiving, at a database server, a statement that specifies at least a database operation that operates on data within a database; determining, at said database server, a user-specified degree of parallelism to use in
2 3 4 5 6	38.	steps of: receiving, at a database server, a statement that specifies at least a database operation that operates on data within a database; determining, at said database server, a user-specified degree of parallelism to use in performing the database operation, wherein said user-specified degree of
2 3 4 5 6 7	38.	steps of: receiving, at a database server, a statement that specifies at least a database operation that operates on data within a database; determining, at said database server, a user-specified degree of parallelism to use in performing the database operation, wherein said user-specified degree of parallelism expressly indicates a specific number of entities to use in parallel to
2 3 4 5 6 7 8	38.	steps of: receiving, at a database server, a statement that specifies at least a database operation that operates on data within a database; determining, at said database server, a user-specified degree of parallelism to use in performing the database operation, wherein said user-specified degree of parallelism expressly indicates a specific number of entities to use in parallel to perform said database operation;
2 3 4 5 6 7 8	38.	steps of: receiving, at a database server, a statement that specifies at least a database operation that operates on data within a database; determining, at said database server, a user-specified degree of parallelism to use in performing the database operation, wherein said user-specified degree of parallelism expressly indicates a specific number of entities to use in parallel to perform said database operation; dividing, at said database server, the database operation into a set of work partitions;
2 3 4 5 6 7 8 9	38.	steps of: receiving, at a database server, a statement that specifies at least a database operation that operates on data within a database; determining, at said database server, a user-specified degree of parallelism to use in performing the database operation, wherein said user-specified degree of parallelism expressly indicates a specific number of entities to use in parallel to perform said database operation; dividing, at said database server, the database operation into a set of work partitions; performing, at said database server, a determination of how many entities to use to
2 3 4 5 6 7 8 9 10	38.	steps of: receiving, at a database server, a statement that specifies at least a database operation that operates on data within a database; determining, at said database server, a user-specified degree of parallelism to use in performing the database operation, wherein said user-specified degree of parallelism expressly indicates a specific number of entities to use in parallel to perform said database operation; dividing, at said database server, the database operation into a set of work partitions; performing, at said database server, a determination of how many entities to use to perform said operation based, at least in part, on the user-specified degree of

15		assigning, at said database server, work partitions from said set of work partitions to a
16		plurality of entities based on said determination; and
17		said plurality of entities operating in parallel on work partitions assigned to said plurality
18		of entities to perform said database operation,
19		wherein the method is performed by one or more computing devices.
1	39.	The method of Claim 38 wherein:
2		the statement requires a plurality of operations;
3		the user-specified degree of parallelism is specified in said statement, and
4		the statement specifies said degree of parallelism for a subset of the plurality of
5		operations required by the statement.
1	40.	The method of Claim 38 wherein
2		the user-specified degree of parallelism is specified in said statement; and
3		the degree of parallelism specified by the statement indicates that no amount of
4		parallelism is to be used during execution of a particular portion of the statement.
1	41.	The method of Claim 38 wherein
2		the user-specified degree of parallelism is specified in said statement, and
3		the degree of parallelism specified by the statement indicates a maximum amount of
4		parallelism to use during execution of said operation.
1	42.	A method of processing a query in a database system, the method comprising the steps of:
2		dividing, at a database server, a database operation required by said query into a set of
3		work partitions by generating a set of query fragments, each work partition of said
4		set of work partitions to be performed serially by a single entity to which said
5		work partition is assigned;
6		incorporating hints into at least some of said query fragments at said database server,
7		wherein said query fragments incorporating hints comprise work partitions that
8		may be performed in a plurality of ways to reach a same result, and wherein said

	hint associated with a given query fragment indicates one way of said plurality of
	ways to perform said work partition;
	assigning, at said database server, query fragments from said set of query fragments to a
	plurality of entities; and
	said plurality of entities operating in parallel on query fragments assigned to said plurality
	of entities to perform said database operation, wherein entities working on a query
	fragment associated with a hint perform the work partition associated with said
	query fragment in said one way dictated by said hint,
	wherein the method is performed by one or more computing devices.
43.	The method of Claim 42 wherein the step of incorporating hints includes incorporating
	hints that dictate the operation of a table scan.
44.	The method of Claim 43 wherein the step of incorporating hints that dictate the operation
	of a table scan includes incorporating hints that rowid partitioning is to be used during the
	table scan.
45.	The method of Claim 42 wherein the step of incorporating hints includes incorporating
	hints that specify performance of a full table scan.
46.	The method of Claim 42 wherein the step of incorporating hints includes incorporating
	hints that specify using a particular type of join.
47.	The method of Claim 46 wherein the step of incorporating hints that specify using a
	particular type of join includes incorporating hints that specify using a sort/merge join.
48.	The method of Claim 46 wherein the step of incorporating hints that specify using a
	particular type of join includes incorporating hints that specify using a nested loop join.
	44.45.46.47.

2		determining a hierarchy of operations associated with a query;
3		dividing a first operation required by said query into a first set of work partitions;
4		dividing a second operation required by said query into a second set of work partitions,
5		wherein said second operation immediately follows said first operation in said
6		hierarchy;
7		dividing a third operation required by said query into a third set of work partitions,
8		wherein said third operation immediately follows said second operation in said
9		hierarchy;
10		assigning work partitions from said first set of work partitions to a first plurality of
11		entities;
12		said first plurality of entities operating in parallel on work partitions assigned to said first
13		plurality of entities from said first set of work partitions to perform said first
14		operation;
15		assigning work partitions from said second set of work partitions to a second plurality of
16		entities, wherein said second plurality of entities are different entities than said
17		first plurality of entities; and
18		said second plurality of entities operating in parallel on work partitions assigned to said
19		second plurality of entities from said second set of work partitions to perform said
20		second operation;
21		assigning work partitions from said third set of work partitions to said first plurality of
22		entities; and
23		said first plurality of entities operating in parallel on work partitions assigned to said first
24		plurality of entities from said third set of work partitions to perform said third
25		operation,
26		wherein the method is performed by one or more computing devices.
1	50.	The method of Claim 49 further comprising performing the following steps when a given
2		entity in said first set of entities finishes performing a work partition from said first set of
3		work partitions:

4		determining whether there are any unassigned work partitions from said first set of work
5		partitions; and
6		if there are no unassigned work partitions from said first set of work partitions, then
7		assigning the given entity a work partition selected from said third set of work
8		partitions; and
9		if there are unassigned work partitions from said first set of work partitions, then
10		assigning the given entity a work partition selected from said first set of work
11		partitions.
1	51.	The method of Claim 49 wherein the hierarchy includes odd levels and even levels, and
2		the method further comprises the steps of assigning work partitions from odd levels to
3		said first plurality of entities and work partitions from even levels to said second plurality
4		of entities.
1	52.	The method of Claim 49 wherein performing work partitions in said first set of work
2		partitions causes said first set of entities produce output consumed by said second
3		plurality of entities, and performing work partitions in said third set of work partitions
4		causes said first set of entities to consume output produced by said second plurality of
5		entities.
	Cance	1 Claims 53-62.
1	53-62	(Cancelled)
	Add C	Claim 63 as follows:
1	63.	A computer-readable storage medium carrying instructions for parallelizing an operation,
2		the instructions including instructions for performing the steps of:

3

dividing the operation into a set of work partitions;

4		assigning work partitions from said set of work partitions to a plurality of entities,
5		wherein at least one entity of said plurality of entities is assigned a plurality of
6		work partitions from said set of work partitions;
7		wherein the step of assigning work partitions is performed by assigning the work
8		partitions in a sequence based at least in part on sizes associated, with the work
9		partitions with relatively larger work partitions assigned before relatively smaller
10		work partitions;
11		said plurality of entities operating in parallel on work partitions assigned to said plurality
12		of entities to perform said operation; and
13		wherein assigning the work partitions in a sequence includes assigning a first previously
14		unassigned work partition to a particular entity of the plurality of entities, and
15		when the particular entity completes processing the first work partition, picking a
16		second previously unassigned work partition based at least in part to the size of
17		the second work partition, and assigning the second unassigned work partition to
18		the particular entity for processing.
	Cance	el Claim 64.
1	64.	(Canceled)
	Add (Claims 65-88 as follows:
1	65.	A computer-readable storage medium carrying instructions for parallelizing an operation,
2		the instructions including instructions for performing the steps of:
3		dividing the operation into a set of work partitions;
4		assigning work partitions from said set of work partitions to a plurality of entities,
5		wherein at least one entity of said plurality of entities is assigned a plurality of
6		work partitions from said set of work partitions, wherein the step of assigning
7		work partitions includes
8		assigning said at least one entity a first work partition from said set of work partitions;
9		and

10		after said at least one entity has completed operating on said first work partition,
11		assigning said at least one entity a second work partition from said set of work
12		partitions;
13		said plurality of entities operating in parallel on work partitions assigned to said plurality
14		of entities to perform said operation;
15		wherein the operation is specified in a query that corresponds to a hierarchy of operations;
16		<u>and</u>
17		the step of assigning said at least one entity a second work partition includes
18		determining whether there are any unassigned work partitions from a first level in
19		the hierarchy to which said first work partition belonged; and
20		if there are no unassigned work partitions from the first level in the hierarchy, then
21		selecting said second work partition from a level in said hierarchy that is
22		two levels above said first level in said hierarchy.
1	66.	A computer-readable storage medium carrying instructions for parallelizing an operation,
2		the instructions including instructions for performing the steps of:
3		dividing the operation into a set of work partitions;
4		assigning work partitions from said set of work partitions to a plurality of entities,
5		wherein at least one entity of said plurality of entities is assigned a plurality of
6		work partitions from said set of work partitions;
7		said plurality of entities operation in parallel on work partitions assigned to said plurality
8		of entities to perform said operation;
9		wherein the instructions include instructions for performing the step of generating a serial
10		execution plan for operations in a database management system (DBMS) running
11		on a computer system;
12		wherein the instructions include instructions for performing the step of generating a
13		parallelized execution plan for said serial execution plan, said parallelized
14		execution plan including first and second operations;
15		wherein the step of dividing an operation is performed by dividing said second operation;

16		wherein the plurality of entities includes one or more slave processes operating on a
17		plurality of data partitions, the quantity of said data partitions being greater than
18		the quantity of said slave processes;
19		wherein the instructions include instructions for performing the step of executing said
20		parallelized execution plan when a plurality of parallel resources of said computer
21		system are available; and
22		wherein the instructions include instructions for performing the step of executing said
23		serial execution plan when said plurality of resources are not available.
1	67.	The computer-readable storage medium of claim 66 wherein said step of generating a
2		parallelized execution plan includes the steps of:
3		identifying one or more segments of said serial execution plan that can be parallelized;
4		<u>and</u>
5		identifying partitioning requirements of said one or more segments.
1	68.	The computer-readable storage medium of claim 66 wherein said step of generating a
2		parallelized execution plan is based on a specification of parallelism in a statement
3		specifying one of said operations.
1	69.	A computer-readable storage medium carrying instructions for parallelizing an operation,
2		the instructions including instructions for performing the steps of:
3		dividing the operation into a set of work partitions;
4		assigning work partitions from said set of work partitions to a plurality of entities,
5		wherein at least one entity of said plurality of entities is assigned a plurality of
6		work partitions from said set of work partitions;
7		said plurality of entities operating in parallel on work partitions assigned to said plurality
8		of entities to perform some operation;
9		generating an execution plan for said operation;
10		examining said execution plan from bottom up;

11		identifying a parallelized portion of said execution plan, said parallelized portion can be
12		processed in parallel, said parallelized portion including first and second
13		operations, said first and second operations being executable in parallel;
14		wherein the step of dividing the operation is performed by dividing said second operation;
15		wherein the plurality of entities includes one or more slave processes operating on a
16		plurality of data partitions, the quantity of said data partitions being greater than
17		the quantity of said slave processes;
18		identifying some serial portion of said execution plan, said serial portion can be processed
19		in serial; and
20		allocating a central scheduler between said parallelized portion and said serial portion.
1	70.	The computer-readable storage medium of Claim 69 further including instructions for
2		performing the steps of:
3		identifying a first data flow requirement for a first portion of said execution plan said first
4		data flow requirement corresponding to a partitioning of a data flow required by
5		said first portion;
6		identifying a second data flow requirement for a second portion of said execution plan
7		said second data flow requirement corresponding by said second portion; and
8		allocating a data flow director between said first portion and said second portion when
9		said first data flow requirement is not compatible with said second data flow
10		requirement said data flow director repartitioning a data flow of said first portion
11		to be compatible with said second data flow requirement.
1	71.	A computer-readable storage medium carrying instructions for parallelizing an operation,
2		the instructions including instructions for performing the steps of:
3		dividing the operation into a set of work partitions;
4		assigning work partitions from said set of work partitions to a plurality of entities,
5		wherein at least one entity of said plurality of entities is assigned a plurality of
6		work partitions from said set of work partitions;

7		said plurality of entities operating in parallel on work partitions assigned to said plurality
8		of entities to perform said operation;
9		generating an execution plan to execute database management system (DBMS) operations
10		in parallel, said execution plan including first and second operations;
11		wherein the step of dividing said operation is performed by dividing said second
12		operation;
13		initiating an operation coordinator in a computer system to coordinate execution of said
14		execution plan;
15		initiating, by said operation coordinator, a first set of slaves operating on a plurality of
16		data partitions to produce data, the quantity of said data partitions being greater
17		than the quantity of said first set of slave processes;
18		initiating, as said plurality of entities, by said operation coordinator, a second set of slaves
19		to consume data; and
20		directing said second set of slaves to produce data and said first set of slaves to consume
21		data when said first set of slaves finishes producing data.
1	72.	The computer-readable storage medium of claim 71 wherein said execution plan is
2		comprised of operator nodes and said operator nodes are linked together to form
3		execution sets.
1	73.	A computer-readable storage medium carrying instructions for parallelizing an operation,
2		the instructions including instructions for performing the steps of:
3		dividing the operation into a set of work partitions;
4		assigning work partitions from said set of work partitions to a plurality of entities,
5		wherein at least one entity of said plurality of entities is assigned a plurality of
6		work partitions from said set of work partitions;
7		said plurality of entities operating in parallel on work partitions assigned to said plurality
8		of entities to perform said operation;
9		generating an execution plan to execute said operations in parallel, said execution plan
10		including first and second operations;

11		wherein the step of dividing said operation includes dividing said first operation;
12		initiating producer slaves operating on a plurality of data partitions to produce a first data
13		production;
14		initiating consumer slaves to consume said first data production;
15		when said first data production is completed, generating an identification of a plurality of
16		said consumer slaves that did not receive data in said first data production;
17		examining said identification during a subsequent data production; and
18		reducing said subsequent data production such that said subsequent data production does
19		not produce data for said plurality of said consumer slaves.
1	74.	A computer-readable storage medium storing instructions for processing a statement in a
2		database system, the instructions including instructions for performing the steps of:
3		receiving, at a database server, a statement that specifies at least a database operation that
4		operates on data within a database;
5		determining, at said database server, a user-specified degree of parallelism to use in
6		performing the database operation, wherein said user-specified degree of
7		parallelism expressly indicates a specific number of entities to use in parallel to
8		perform said database operation;
9		dividing, at said database server, the database operation into a set of work partitions;
10		performing, at said database server, a determination of how many entities to use to
11		perform said operation based, at least in part, on the user-specified degree of
12		parallelism, wherein the amount of entities that are chosen to use to perform on
13		the database operation is different than the amount of entities that would have
14		been chosen if no user-specified degree of parallelism had been specified;
15		assigning, at said database server, work partitions from said set of work partitions to a
16		plurality of entities based on said determination; and
17		said plurality of entities operating in parallel on work partitions assigned to said plurality
18		of entities to perform said database operation,
19		wherein the method is performed by one or more computing devices.
1		

2	75.	The computer-readable storage medium of Claim 74 wherein:
3		the statement requires a plurality of operations;
4		the user-specified degree of parallelism is specified in said statement, and
5		the statement specifies said degree of parallelism for a subset of the plurality of
6		operations required by the statement.
1	76.	The computer-readable storage medium of Claim 74 wherein
2		the user-specified degree of parallelism is specified in said statement; and
3		the degree of parallelism specified by the statement indicates that no amount of
4		parallelism is to be used during execution of a particular portion of the statement.
1	77.	The computer-readable storage medium of Claim 74 wherein
2		the user-specified degree of parallelism is specified in said statement, and
3		the degree of parallelism specified by the statement indicates a maximum amount of
4		parallelism to use during execution of said operation.
1	78.	A computer-readable storage medium carrying instructions for processing a query in a
2		database system, the instructions including instructions for performing the steps of:
3		dividing, at a database server, a database operation required by said query into a set of
4		work partitions by generating a set of query fragments, each work partition of said
5		set of work partitions to be performed serially by a single entity to which said
6		work partition is assigned;
7		incorporating hints into at least some of said query fragments at said database server,
8		wherein said query fragments incorporating hints comprise work partitions that
9		may be performed in a plurality of ways to reach a same result, and wherein said
10		hint associated with a given query fragment indicates one way of said plurality of
11		ways to perform said work partition;
12		assigning, at said database server, query fragments from said set of query fragments to a
13		plurality of entities; and

14		said plurality of entities operating in parallel on query fragments assigned to said plurality
15		of entities to perform said database operation, wherein entities working on a query
16		fragment associated with a hint perform the work partition associated with said
17		query fragment in said one way dictated by said hint,
18		wherein the method is performed by one or more computing devices.
1	79.	The computer-readable storage medium of Claim 78 wherein the step of incorporating
2		hints includes incorporating hints that dictate the operation of a table scan.
1	80.	The computer-readable storage medium of Claim 79 wherein the step of incorporating
2	00.	hints that dictate the operation of a table scan includes incorporating hints that rowid
		partitioning is to be used during the table scan.
3		partitioning is to be used during the table scall.
1	81.	The computer-readable storage medium of Claim 78 wherein the step of incorporating
2		hints includes incorporating hints that specify performance of a full table scan.
1	82.	The computer-readable storage medium of Claim 78 wherein the step of incorporating
2	02.	hints includes incorporating hints that specify using a particular type of join.
2		initis merades meorporating mins that speerly using a particular type of join.
1	83.	The computer-readable storage medium of Claim 82 wherein the step of incorporating
2		hints that specify using a particular type of join includes incorporating hints that specify
3		using a sort/merge join.
1	84.	The computer-readable storage medium of Claim 82 wherein the step of incorporating
2	01.	hints that specify using a particular type of join includes incorporating hints that specify
3		using a nested loop join.
J		using a nested toop join.
1	85.	A computer-readable storage medium carrying instructions for processing a query, the
2		instructions including instructions for performing the steps of:
3		determining a hierarchy of operations associated with a query;

4		dividing a first operation required by said query into a first set of work partitions;
5		dividing a second operation required by said query into a second set of work partitions,
6		wherein said second operation immediately follows said first operation in said
7		hierarchy;
8		dividing a third operation required by said query into a third set of work partitions,
9		wherein said third operation immediately follows said second operation in said
10		hierarchy;
11		assigning work partitions from said first set of work partitions to a first plurality of
12		entities;
13		said first plurality of entities operating in parallel on work partitions assigned to said first
14		plurality of entities from said first set of work partitions to perform said first
15		operation;
16		assigning work partitions from said second set of work partitions to a second plurality of
17		entities, wherein said second plurality of entities are different entities than said
18		first plurality of entities; and
19		said second plurality of entities operating in parallel on work partitions assigned to said
20		second plurality of entities from said second set of work partitions to perform said
21		second operation;
22		assigning work partitions from said third set of work partitions to said first plurality of
23		entities; and
24		said first plurality of entities operating in parallel on work partitions assigned to said first
25		plurality of entities from said third set of work partitions to perform said third
26		operation.
1	86.	The computer-readable storage medium of Claim 85 further comprising instructions for
2		performing the following steps when a given entity in said first set of entities finishes
3		performing a work partition from said first set of work partitions:
4		determining whether there are any unassigned work partitions from said first set of work
5		partitions; and

6		if there are no unassigned work partitions from said first set of work partitions, then
7		assigning the given entity a work partition selected from said third set of work
8		partitions; and
9		if there are unassigned work partitions from said first set of work partitions, then
10		assigning the given entity a work partition selected from said first set of work
11		partitions.
1	87.	The computer-readable storage medium of Claim 85 wherein the hierarchy includes odd
2		levels and even levels, and the instructions further include instructions for performing the
3		steps of assigning work partitions from odd levels to said first plurality of entities and
4		work partitions from even levels to said second plurality of entities.
1	88.	The computer-readable storage medium of Claim 85 wherein performing work partitions
2		in said first set of work partitions causes said first set of entities produce output consumed
3		by said second plurality of entities, and performing work partitions in said third set of
4		work partitions causes said first set of entities to consume output produced by said second
5		plurality of entities.
	Cance	l Claims 89-91.
1	89-91.	(Canceled).
	Add C	laims 92-95 as follows:
1	92.	The method of Claim 38, wherein the user-specified degree of parallelism is specified in
2		said statement.

1

2

93.

operations that involve a particular table.

The method of Claim 38, wherein the user-specified degree of parallelism is specified for

Serial No.; Filed Docket No.

Reply to Office Action

94. The computer-readable storage medium of Claim 74, wherein the user-specified degree of parallelism is specified in said statement.

95. The computer-readable storage medium of Claim 74, wherein the user-specified degree of parallelism is specified for operations that involve a particular table.